## **Amendments to the Claims:**

This listing of claims will replace all prior versions and listings of claims in this application.

## **Listing of Claims:**

- 1. (currently amended): A process for preparing an encapsulated modified-particulate solid comprising reacting cross-linking a dispersant with a compound-cross-linking agent in the presence of a particulate solid and a liquid medium, thereby encapsulating the particulate solid within the cross-linked dispersant characterised in that:
  - a) the dispersant has at least one reactable cross-linkable group selected from keto, aldehyde and beta-diketoester groups,
  - b) the compound cross-linking agent has at least two groups reactive towards said keto, aldehyde and/or beta-diketoester cross-linkable groups.
  - 2. (cancelled).
- 3. (currently amended): A process according to claim 1 wherein the <del>compound is a cross-linking agent is soluble in the liquid medium.</del>
- 4. (currently amended): A process according to claim 1 wherein the empound is a cross-linking agent having has at least two cross-linking groups reactive towards said cross-linkable group(s) and the cross-linking groups are nucleophiles.
- 5. (original): A process according to claim 4 wherein the cross-linking groups are each independently selected from amine, imine, hydrazide and thiol groups.
- 6. (currently amended): A process according to claim 1 wherein the <del>compound is a cross-linking agent having has at least two cross-linking groups reactive towards said cross-linkable group(s) and the cross-linking groups are electrophiles.</del>

- 7. (original): A process according to claim 6 wherein the cross-linking groups are each independently selected from activated olefinic, diazonium and carbonyl-containing groups.
- 8. (previously presented): A process according to claim 1 wherein the dispersant is polymeric.
- 9. (previously presented): A process according to claim 1 wherein the dispersant is a polyvinyl dispersant.
- 10. (original): A process according to claim 9 wherein the polyvinyl dispersant comprises at least one monomer residue selected from acrolein, methyl vinyl ketone, acetoacetoxy ethylacrylate, acetoacetoxy propylmethacrylate, allyl acetoacetate, acetoacetoxybutyl methacrylate, 2,3-di(acetoacetoxy)propyl methacrylate, acetoacetoxy ethylmethacrylate and diacetone acrylamide.
- 11. (previously presented): A process according to claim 10 wherein the polyvinyl dispersant comprises at least one monomer residue from diacetone acrylamide.
- 12. (previously presented): A process according to claim 1 wherein the dispersant has at least one beta-diketoester cross-linkable group.
- 13. (original): A process according to claim 12 wherein the liquid medium further comprises a dispersant having at least one enamine/ketimine group which is convertible to a beta-diketoester group.
- 14. (currently amended): A process according to claim 13 wherein the dispersant having at least one enamine/ketimine group is obtained or obtainable by reaction of a dispersant having at least one beta-diketoester group with a mono-functional amine.
- 15. (original): A process according to claim 14 wherein the mono-functional amine is ammonia.

- 16. (currently amended): A process according to claim 1 wherein the reaction is cross-linking is performed at a temperature of less than 60°C.
- 17. (previously presented): A process according to claim 1 wherein the modified particulate solid has a Z-average particle size of at most 50% greater than the Z-average particle size of the particulate solid prior to addition of the compound.
- 18. (previously presented): A process according to claim 1 wherein the liquid medium comprises water.
- 19. (currently amended): A process according to claim 1 comprising the further step of isolating the resultant modified encapsulated particulate solid from the liquid medium.
- 20. (currently amended): A process according to claim 1 wherein the reaction is performed by mixing the following ingredients:
  - a) the liquid medium;
  - b) the particulate solid in a weight ratio of 1:100 to 1:3;
  - c) the dispersant in a weight ratio of 1:100 to 1:3.3; and
- d) the compound cross-linking agent in a weight ratio of 1:10000 to 1:10; wherein all weight ratios are relative to the weight of the liquid medium.
- 21. (currently amended): An encapsulated modified particulate solid obtained of obtainable by a process according to claim 1.
- 22. (currently amended): A composition comprising a liquid vehicle and an encapsulated modified particulate solid according to claim 21.
- 23. (original): A composition according to claim 22 having a viscosity of less than 20mPa.s at 25°C.
  - 24. (previously presented): A composition according to claim 23 wherein the liquid

vehicle comprises water and an organic solvent in a weight ratio of 99:1 to 5:95.

- 25. (previously presented): A process for printing an image on a substrate comprising applying a composition according to claim 22 to the substrate.
- 26. (original): A process according to claim 25 wherein the printing is performed by means of an ink jet printer.
- 27. (previously presented): A paper, a plastic film or a textile material printed with a composition according to claim 22.
- 28. (previously presented): An ink jet printer cartridge comprising a chamber and a composition wherein the composition is present in the chamber and the composition is as claimed in claim 22.
- 29. (original): A composition according to claim 22 where the particulate solid is a colorant or filler and the composition further comprises a binder.